



Immunization Requirements All Kindergarten Entrants and Entrants New to the School District in Grades 1-12

To Enter School: State law (Part 92, Act 368 of the Public Acts of 1978, as amended) prohibits a principal or teacher from admitting new entrants to school without a record of having received at least one dose of each: Measles, mumps, rubella, polio, diphtheria, tetanus, pertussis, hepatitis B, and varicella.

To Stay in School: You must provide the school with a record showing that your child has received all of the following immunizations:

CHILDREN WHO HAVE NOT RECEIVED THE REQUIRED IMMUNIZATIONS WILL BE EXCLUDED FROM SCHOOL UNTIL PARENTS PROVIDE PROOF THAT ALL REQUIRED IMMUNIZATIONS HAVE BEEN GIVEN, OR HAVE A WAIVER ON FILE.

Immunizations	Ages 4 – 6	Ages 7 – 18
Diphtheria, Tetanus & Pertussis*	<p>4 doses are required. If a dose was not given on or after the 4th birthday, a booster dose of DTP is required.</p>	<p>4 doses are required. If a dose was not given in the last 10 years, a booster dose of Td is required.</p>
Polio	<p>3 doses are required. If the last dose was not given on or after the 4th birthday, a booster dose is required.</p>	<p>3 doses are required.</p>
Measles, Mumps & Rubella	<p>2 doses are required. The 1st dose must be given on or after the 1st birthday. The 2nd dose must be given at least 28 days from the 1st dose.</p>	<p>2 doses are required. The 1st dose must be given on or after the 1st birthday. The 2nd dose must be given at least 28 days from the 1st dose.</p>
Hepatitis B	<p>3 doses are required.</p>	<p>3 doses are required.</p>
Varicella (Chickenpox) **	<p>1 dose is required. This dose must be administered on or after the 1st birthday.</p>	<p>1 dose is required if received on or after the 1st birthday and prior to the 13th birthday OR 2 doses are required, administered at least 28 days apart, if the child received the 1st dose on or after the 13th birthday.</p>

* Children ages 4-6 must have received 4 doses of pertussis. DT is only accepted if a signed waiver is on file for that particular dose of pertussis vaccine.

** Reliable history of chickenpox disease or proof of current lab immunity are both acceptable in lieu of the vaccine.